

Figure 1A




Figure 1B




Figure 1C

Figure 2 A




Figure 2B




Figure 2C





Figure 2D






Figure 2E




Figure 2F

Figure 3A








Figure 3B

HCT116












Figure 5A




Figure 5B




Figure 5C









Figure 5D



















Figure 9A


Figure 9B




5-FU(µM)


Figure 10A










■ QJnMFT SIRNA ▲ Q.5nMFT SIRNA ▼ 1nMFT SIRNA
























Figure 13A












Figure 1(

മ


CON OXA CPT11
SC FL SC FL

B-tubulin (2000) 248 hours
SC FL


SC FL

48 hours





D 0.2nM FL siRNA
△ 1nM FL siRNA
○ 2nM FL siRNA




1.00

C 0.75-0.50-0.25-



Figure 17A

Figure 17B







Figure 17D

Figure 17C






Figure 18A




Figure 18 E

	p53 wil	p53 wild-type	ESq.	p53 null
CH-11	•	+	•	+
Con	8±2.6 %	32±4.9%	5±2.1 %	11±3.3 %
SFU	31±7.3 %	%6 + 9L	7 ±1.8%	18±4.5%
XQL	18±3.8%	27±8.4%	15±5.3%	40±4.4%
CPT-11	25±6.8%	%6∓25	19±6.7%	% 6.8±72
Ox	36±7.5 %	%7° 6€19 .2%	12±3.6%	17±5.1%




Figure 19